

Lavo Inc.
11900 boul. St-Jean-Baptiste
Montréal (Québec)
H1C 2J3

LAVO "12" - 12% BLEACH
SODIUM HYPOCHLORITE SOLUTION
(W.H.M.I.S.: CLASS E, D₂B)

MATERIAL SAFETY DATA SHEET

Date issued: September 2010

EMERGENCY TELEPHONE NUMBERS:

(514) 526-7783

PRODUCT IDENTIFICATION:

Product Name: Sodium Hypochlorite Solution LAVO 12
Chemical Name: Sodium Hypochlorite
Synonyms: Bleach; Javel Water
Chemical Family: Chlorite
Molecular Formula: NaOCl
Product Use: Water Purification, Bleaching Agent and Disinfectant

HAZARDOUS INGREDIENTS OF MATERIAL:

Hazardous Ingredients	ACGIH		CAS No.
	% W/V	TWA	
Sodium Hypochlorite	12 – 14	0,5 ppm	7681-52-9

PHYSICAL PROPERTIES:

Appearance and Odour: Clear, greenish-yellow aqueous solution with a strong chlorine odour.
Boiling Point: Slowly decomposes at 40^o C to NaCl and NaClO₃
Melting/Freezing Point: - 25^o C (- 12^o F) for a 12 % solution.
Vapour Pressure: 17,5 mmHg at 20^o C
Specific gravity: ≈ 1,175 g/mL
Vapour Density: No data
Evaporation Rate: No data
Solubility: Miscible in all proportion in water
% Volatile by Volume: No data
pH: 11,5 – 13,0
Coefficient of water/oil distribution: No data

Lavo "12"

REACTIVITY DATA:

Stability:

Under Normal Conditions: Unstable above 40^o C, when exposed to sunlight or in contact with metals.

Under Fire Conditions: Unstable

Hazardous Polymerization: Will not occur

Conditions to Avoid: Temperatures above 40^oC

Materials to Avoid: Acids, ammonia, oxidizable materials, urea, nickel, copper, manganese, iron, most metals.

Hazardous Decomposition or Combustion Products:

Chlorine gas when in contact with acids; oxygen when in contact with metals

ACCREDITATION:

Lavo "12" is NSF approved, Standard 60.

SHIPPING DESCRIPTION (Under the TDG Act)

For containers of more than 5L, not in limited quantity:

Shipping Name: Hypochlorite Solution

Shipping Class/Division: Corrosive Class 8

Product Identification No (PIN): UN 1791

Packing Group: III

FIRE AND EXPLOSION DATA

Flash Point (method): Non-flammable

Autoignition Temperature: Not applicable

Flammability Limits in air (%): UEL: Not applicable

LEL: Not applicable

Fire Extinguishing Media: Use appropriate media to extinguish surrounding fire.

Fire Fighting Procedures: Full protection equipment, including a self-contained breathing apparatus, should be worn. Remove storage vessels from fire zone if possible. Use water spray to cool containers to avoid pressure build-up.

Lavo "12"

TOXICOLOGICAL AND HEALTH DATA

Recommended Exposure Limit: ACGIH TLV : 0,5 ppm (as Chlorine)

Toxicological Data:

Sodium Hypochlorite : LD 50 (oral, rat) = 8910 mg/Kg
LC 50 (inhalation, rat) > 10,500 mg/m³/H
Carcinogenicity Data: The ingredients of this product are not listed as carcinogens.
Reproductive Effects: No information is available.
Teratogenicity Data: No information is available.
Synergistic Materials: None known.

Effect of exposure when:

Inhaled: **Corrosive !** May cause irritation of the nose and upper respiratory tract, headache and coughing.
In contact with the skin: **Corrosive !** Can cause severe local irritation, burns and blisters. Prolonged or repeated contact with diluted solutions may bleach skin or cause dermatitis.
In contact with the eyes: **Very Corrosive !** Can cause irritation and severe damages resulting in blindness.
Ingested: **Corrosive !** Burning in mouth and throat. Severe pain, vomiting, diarrhea.

FIRST AID PROCEDURES WHEN: WARNING CORROSIVE !

Inhalation: Move victim to fresh air.
Give artificial respiration **ONLY** if breathing has stopped. Obtain medical attention immediately.
Skin contact : Remove contaminated clothing. Flush affected area with water for at least **20 minutes**. Obtain medical attention.
Eye contact : Flush immediately eyes with running water for at least **30 minutes** holding eyelids open.
Obtain medical attention immediately.
Ingestion: If victim is alert and not convulsing, rinse out mouth and give 1/2 to 1 glass of water to dilute material. **DO NOT** induce vomiting.
Obtain medical attention immediately.

PREVENTIVE MEASURES:

Engineering Controls: Local exhaust ventilation.
Respiratory Protection: NIOSH/MSHA approved air-purifying respirator equipped with Chlorine cartridges when necessary.
Skin Protection: Use rubber gloves and apron. Rubber boots if necessary also.
Eye Protection: Use chemical safety goggles when there is potential for eye contact.

Lavo "12"

Other Personal Protective Equipment:

Safety showers and eyewash fontains should be installed in storage and handling areas.

Handling Procedures and Equipment:

Protect containers against physical damage.

Storage Temperature (°C): Below 29°C and above freezing point.

Storage Requirements: Store in a cool (below 29°C) dry, well-ventilated area away from incompatibles and direct sunlight. Long-term storage is impossible without decomposition. Use polyethylene containers.

Other Precautions: No special requirements.

ENVIRONMENTAL PROTECTION DATA:

Steps to be taken in the event of a spill or leak:

Ventilate area. Stop and contain leak or spill. Absorb using an inert material (sand, ashes, etc.), collect and dispose. For recovery, pump into polyethylene containers.

Waste Disposal Methods: Consult federal, provincial, state and local regulations on chemical waste disposal.

ADDITIONAL INFORMATION AND SOURCES USED:

SAX, N.I., Dangerous Properties of Industrial Materials.

Supplier's MSDS

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Lavo Ltée will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared by: **Lavo Inc (QC dept)**